UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/637,431	08/08/2003	Anil Singhal	09851.0006-00000	2626

22852   7590   11/24/2008
FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNER
LLP
901 NEW YORK AVENUE, NW
WASHINGTON, DC 20001-4413

EXAMINER
KIM, JUNG W

ART UNIT	PAPER NUMBER
2432	

MAIL DATE	DELIVERY MODE
11/24/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE _3_ MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.
- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1)☒ Responsive to communication(s) filed on _20 August 2008_.

2a)☒ This action is **FINAL**.   2b)☐ This action is non-final.

3)☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4)☒ Claim(s) _1-15,21-29,32-34 and 40-43_ is/are pending in the application.

    4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5)☐ Claim(s) _____ is/are allowed.

6)☒ Claim(s) _1-15,21-29,32-34 and 40-43_ is/are rejected.

7)☐ Claim(s) _____ is/are objected to.

8)☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9)☐ The specification is objected to by the Examiner.

10)☐ The drawing(s) filed on _____ is/are: a)☐ accepted or b)☐ objected to by the Examiner.

    Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

    Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11)☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12)☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

    a)☐ All   b)☐ Some * c)☐ None of:

      1.☐ Certified copies of the priority documents have been received.

      2.☐ Certified copies of the priority documents have been received in Application No. _____.

      3.☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

    * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1)☒ Notice of References Cited (PTO-892)
2)☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3)☐ Information Disclosure Statement(s) (PTO/SB/08)
    Paper No(s)/Mail Date _____.

4)☐ Interview Summary (PTO-413)
    Paper No(s)/Mail Date. _____.
5)☐ Notice of Informal Patent Application
6)☐ Other: _____.

DETAILED ACTION

1.   This Office action is in response to the amendment filed on 8/20/08.

2.   Claims 1-15, 21-29, 32-34 and 40-43 are pending.

Response to Arguments

3.   Applicant's arguments with respect to the amended claims have been considered but are moot in view of the new ground(s) of rejection. It is noted that Applicant's argument that the rejection fails to provide a "rationale as to why one of ordinary skill in the art would modify Vairavan using the teachings of Esbensen" (Remarks, pg. 16) is inadequate because Esbensen expressly discloses that the modification has the advantage of maintaining a dedicated intrusion detection system without decreasing network performance. (Esbensen, 2:42-47)

Claim Rejections - 35 USC § 103

4.   The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

> (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

5.   Claims 1-7, 12-15, 21-28, 34 and 40-47 are rejected under 35 U.S.C. 103(a) as being unpatentable over Vairavan US Patent Application Publication No. 20020083344 (hereinafter Vairavan) in view of Esbensen US 5,796,942 (hereinafter Esbensen), and

Martin et al. US 6,772,349. (hereinafter Martin); RFC 2819 and RFC 2021 are

incorporated herein for properties of Remote Network Monitoring (RMON).

6.   As per claims 1-3, Vairavan discloses a method of intrusion detection,

comprising:

>   a.   receiving at a probe data packets communicating over a first network link;
>
>   converting the received data packets into a format suitable for a second network
>
>   link; wherein the first network link is a WAN link and the second network link is a
>
>   LAN and data packets are communicated over a third network link; (paragraph
>
>   0047: network device has an access interface that couples one or more WANs
>
>   and one or more LANs)
>
>   b.   and monitoring, by the probe, the received packets to evaluate network
>
>   performance. (paragraph 0090)

7.   Vairavan does not disclose transmitting, by the probe, over a second network

link, the packets to an intrusion detection system in communication with the second

network link. Esbensen discloses an intrusion detection system whereby an

agent/handler captures packets and transmits the packets over a second network link to

an intrusion detection system in communication with the second network link. (Abstract;

fig. 1; fig. 4). This setup has the advantage of maintaining a dedicated intrusion

detection system without decreasing network performance. (Esbensen, 2:42-47)

Therefore, it would be obvious to one of ordinary skill in the art at the time the invention

was made for the method of Vairavan to transmit, by the probe over a second network

link, the packets to an intrusion detection system in communication with the second

network link. One would be motivated to do so to accrue the benefits of a dedicated

intrusion detection system as taught by Esbensen.

8.   Finally, neither Vairavan nor Esbensen disclose collecting, by the probe, current

network performance data based on the network performance; updating, by the probe,

historical network performance information with the current network performance data;

transmitting, by the probe over the second network link, the updated historical network

performance information, wherein the updated historical network performance

information is used by the intrusion detection system to detect an intrusion on the first

network link. Martin discloses it is well known to situate RMON probes to collect data

about the activities of network traffic at a network device, whereby the collected data is

transferred via SNMP to a centralized network management computer. Col. 3:34-46.

Furthermore, the RMON standard defines a "flow based" monitoring implementation

whereby probes both collects and processes data collected from a data flow; in

particular, it defines the step of generating and updating historical data collected from a

packet flow. See for example, RFC 2819, "historical statistical information",

"etherHistoryEntry". As known in the art, RMON monitoring implementation reduces the

amount of data sent to a management application because a substantial portion of the

processing occurs at the probe. Martin further discloses using the received RMON data

at a network manager for the purpose of securing a network. Col. 3:46-4:11.

Therefore, it would be obvious to one of ordinary skilled in the art at the time the

invention was made to collect, by the probe, current network performance data based

on the network performance; updating, by the probe, historical network performance

information with the current network performance data; transmitting, by the probe over

the second network link, the updated historical network performance information,

wherein the updated historical network performance information is used by the intrusion

detection system to detect an intrusion on the first network link. One would be

motivated to do so to offload the processing from the central management application to

the probes, thereby reducing bottlenecks at the management application as known to

one of ordinary skill in the art. The aforementioned cover the limitations of claims 1-3.

9.   As per claim 4, the rejections of claims 1-3 as being unpatentable over Vairavan

in view of Esbensen and Martin are incorporated herein. Although Vairavan does not

disclose the step of aggregating the data packets received over the first network and the

data packets over the third network, wherein the aggregated data packet appears to

emanate from a single logical source, link aggregation is notoriously well known in the

art as an inexpensive means to increase link speed beyond a capability of a single port.

Link aggregation groups physical link segments of the same type and speed to treat

them as the same logical link, thereby increasing the total bandwidth of the resulting

logical link segment. Official Notice of this teaching is taken. It would be obvious to one

of ordinary skill in the art at the time the invention was made to aggregate the data

packets received over the first network and the data packets over the third network,

wherein the aggregated data packet appears to emanate from a single logical source.

One would be motivated to do so for a cost effective means of increasing the bandwidth

of a link segment as known to one of ordinary skilled in the art. The aforementioned

cover the limitations of claim 4.

10.   As per claims 5-7, the rejections of claims 1-3 as being unpatentable over

Vairavan in view of Esbensen and Martin are incorporated herein. In addition, Vairavan

further discloses the first network link operates using at least one of HSSI protocol, T1

protocol, E1 protocol, ATM protocol, Packet-Over Sonet/SDH protocol, Frame-DS3

protocol, 1G Ethernet protocol, and 10G Ethernet protocol; wherein the first network link

comprises a protocol that encapsulates data traffic; wherein the protocol comprises at

least one of MPLS protocol, GMPLS protocol, VLAN (802.1q) protocol, HSSI protocol,

T1 protocol, E1 protocol, ATM protocol, Packet-Over Sonet/SDH protocol, Frame-DS3

protocol, 1G Ethernet protocol, and 10G Ethernet protocol. (paragraph 0047)

11.   As per claims 12 and 13, the rejections of claims 8-10 as being unpatentable

over Vairavan in view of Esbensen and Martin are incorporated herein. In addition,

Vairavan further discloses the converting step comprises: storing received packets in a

collection buffer; stripping header information associated with a protocol of the first

network link; and adding header information associated with a protocol of the second

network link; wherein the step of storing comprises storing packets received from at

least one of the first network and the third network link. (Fig. 1: inherent in a protocol

conversion from WAN to LAN)

12.   As per claim 14, the rejections of claims 12 and 13 as being unpatentable over

Vairavan in view of Esbensen and Martin are incorporated herein. In addition, the

stripping step further comprising stripping header and checksum information associated

with the protocol of the first network link and the adding step further comprising adding

header and checksum information associated with the protocol of the second network

link; wherein the step of storing comprises storing packets received from at least one of

the first network link and a third network link are obvious enhancements because

different communication protocols utilized different checksum values.

13.   As per claim 15, the rejections of claims 12 and 13 as being unpatentable over

Vairavan in view of Esbensen and Martin are incorporated herein. In addition, the step

of stripping comprising stripping at least one of a Layer 2 MAC header, an Ethernet

source address, and an Ethernet destination address is an obvious enhancement

because Ethernet is conventionally utilized in LAN technology.

14.   As per claims 44 and 45, the rejections of claim 1 as being unpatentable over

Vairavan in view of Esbensen and Martin are incorporated herein. In addition, the

historical network performance information comprises historical traffic profile; wherein

the intrusion detection system uses the historical network performance information as a

basis for an action. Martin, col. 3:34-4:12. One would be motivated to combine the

teachings of Vairavan and Esbensen with the teachings of Martin to offload the

processing from the central management application to the probes, thereby reducing

bottlenecks at the management application as known to one of ordinary skill in the art. The aforementioned cover the limitations of claims 44 and 45.

15.   As per claims 21-28, 34, 46 and 47, the rejections of claims 1-15, 44 and 45 as being unpatentable over Vairavan in view of Esbensen and Martin are incorporated herein. In addition, Vairavan and Esbensen disclose the first network link comprises a protocol that encapsulates data traffic (WAN link). The aforementioned cover the limitations of claims 21-28 and 34, 46 and 47.

16.   As per claims 40-43, they are claims corresponding to claims 1-7, 12-15, 21-28 and 34, and they do not teach or define above the information claimed in claims 1-7, 12-15, 21-28 and 34. Therefore, claims 40-43 are rejected as being unpatentable over Vairavan in view of Esbensen and Martin for the same reasons set forth in the rejections of claims 1-7, 12-15, 21-28 and 34.

17.   Claims 8-11, 29, 32 and 33 are rejected under 35 U.S.C. 103(a) as being unpatentable over Vairavan in view of Esbensen and Martin, and further in view of Schneier et al. US 7,159,237 (hereinafter Schneier)

18.   As per claims 8-11, the rejections of claims 1-3 as being unpatentable over Vairavan in view of Esbensen and Martin are incorporated herein. Neither Vairavan nor Esbensen disclose the step of maintaining, by the probe, an audit trail buffer for forensic

analysis; wherein the audit trail buffer comprises a memory for recording monitored

packets; wherein the memory records packets from at least one of the first network link

and the third network link; upon receiving, by the probe, an event notification,

communicating, by the probe, the current contents of the audit trail buffer. Schneier

discloses a method for monitoring packet flows via probes/sentries, whereby data

sensors collect data, filtering subsystems filter the data and an Anomaly engine

analyzes the data; Anomaly engine determines noteworthy information that may be

worthy of further analysis and forwards such information to a communications and

resource coordinator; whereby the coordinator forwards the information to the intrusion

detection system. (col. 8:35-63) Such a feature enables uninteresting information to be

discarded at the probe before being analyzed by a central intrusion detection system,

thereby reducing the amount of information to be processed by the central intrusion

detection system. (8:45-47) Therefore, it would be obvious to one of ordinary skill in the

art at the time the invention was made for the invention of Vairavan to further include

the steps of maintaining, by the probe, an audit trail buffer for forensic analysis; wherein

the audit trail buffer comprises a memory for recording monitored packets; wherein the

memory records packets from at least one of the first network link and the third network

link; upon receiving, by the probe, an event notification, communicating, by the probe,

the current contents of the audit trail buffer. One would be motivated to do so to reduce

the amount of information to be processed by the central intrusion detection system as

known to one of ordinary skill in the art.

19.   As per claims 29, 32 and 33, they are claims corresponding to claims 8-11, and

they do not teach or define above the information claimed in claims 8-11. Therefore,

claims 29, 32 and 33 are rejected as being unpatentable over Vairavan in view of

Esbensen, Martin and Schneier for the same reasons set forth in the rejections of

claims 8-11.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in

this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP

§ 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37

CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE

MONTHS from the mailing date of this action. In the event a first reply is filed within

TWO MONTHS of the mailing date of this final action and the advisory action is not

mailed until after the end of the THREE-MONTH shortened statutory period, then the

shortened statutory period will expire on the date the advisory action is mailed, and any

extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

the advisory action. In no event, however, will the statutory period for reply expire later

than SIX MONTHS from the date of this final action.

Communications Inquiry

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JUNG KIM whose telephone number is (571)272-3804. The examiner can normally be reached on FLEX.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gilberto Barron can be reached on 571-272-3799. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/Jung Kim/
Primary Examiner   AU 2432